

Patient Initials Date of Birth / / Trial Number **R**

Date of Surgery / /

This CRF should be completed prior to randomisation.

A. Surgery Details

1 min **Duration of surgery**

6 units **Blood transfused**

2 days **Duration of hospital stay**

7 **ASA grade**

3 **Nephrectomy**

- Total (radical)
 Partial

- 1 — A normal healthy patient
 2 — A patient with mild systemic disease
 3 — A patient with severe systemic disease
 4 — A patient with severe systemic disease that is a constant threat to life
 5 — A moribund patient who is not expected to survive without the operation

4 **Laterality**

- Left
 Right
 Bilateral

8 kg/m² **BMI on date of surgery**

5 ml **Measured blood loss**

B. Surgeon Details

1 **Grade of surgeon**

- Consultant/attending surgeon
 Trainee surgeon

2 **Name of surgeon**

3 **Surgery hospital**


C. Surgical Approach

1 **Surgical approach**

- Open loin
 Open transabdominal
 Open thoraco-abdominal
 Hand-assisted laparoscopic
 Robotic
 Minimally invasive transperitoneal
 Minimally invasive retroperitoneal
 Other, please specify:

D. Lymph Node Dissection

1 **Was lymph node dissection (LND) performed?**

- No —  go to section E
 Yes

Please indicate below which groups were and were not removed during the LND:

2 **Hilar**

- No
 Yes

3 **Paraaortic**

- No
 Yes

4 **Paracaval**

- No
 Yes

5 **Interaortocaval**

- No
 Yes

6 **Retrocaval**

- No
 Yes

Signature

Printed Name

Date Completed

/ /

Please return a copy to RAMPART Trial, MRC Clinical Trials Unit at UCL, 90 High Holborn, 2nd Floor, London WC1V 6LJ

For office use only

Date form received at CTU / /

Date form entered onto database / /


Initials of data enterer

Patient Initials Date of Birth / / Trial Number **R**

Date of Surgery / /

E. Additional Procedures

1 Was there a venous extension that was removed?

- No —  go to question E3
 Yes

2 Level of venous extension

- Tumour thrombus confined to renal vein
 Tumour thrombi extend into IVC < 2 cm from the renal vein ostium
 Tumour thrombi extend \geq 2 cm from the renal vein ostium but are below the level of hepatic veins
 Tumour thrombi extend above the hepatic veins but are below the cavo-atrial junction
 Tumour thrombi extend above the cavo-atrial junction to the atrium

3 Ipsilateral adrenalectomy

- No
 Yes

4 Excision of other structures/organs

- No
 Yes, please specify:

5 Additional procedures

- No
 Yes, please specify:

F. Complications

1 Intra-operative complications

- No
 Yes, please specify:

2 Post-operative complications

- No
 Yes, please specify:

3 Clavien-Dindo classification

- Grade I — Any deviation from the normal postoperative course without the need for pharmacological treatment or surgical, endoscopic and radiological interventions. Allowed therapeutic regimens are: drugs as antiemetics, antipyretics, analgetics, diuretics and electrolytes and physiotherapy. This grade also includes wound infections opened at the bedside
- Grade II — Requiring pharmacological treatment with drugs other than such allowed for grade I complications. Blood transfusions and total parenteral nutrition are also included
- Grade IIIa — Requiring surgical, endoscopic or radiological intervention not under general anaesthetic
- Grade IIIb — Requiring surgical, endoscopic or radiological intervention under general anaesthetic
- Grade IVa — Life-threatening complication (including CNS complications) requiring IC/ICU management (single organ dysfunction)
- Grade IVb — Life-threatening complication (including CNS complications) requiring IC/ICU management (multiple organ dysfunction)
- Grade V — Death of a patient

Signature

Printed Name

Date Completed

/ /

Please return a copy to RAMPART Trial, MRC Clinical Trials Unit at UCL, 90 High Holborn, 2nd Floor, London WC1V 6LJ

For office use only

Date form received at CTU / /

Date form entered onto database / /

Initials of data enterer